## VMC/VDIS OUTPATIENT IMAGING SERVICES

Arrival Time:\_\_\_\_\_ Exam 1 Date & Time:\_\_\_


Exam 2 Date & Time:\_\_

PATIENT INFORMATIO	Name:			Birthdate:	O Male O Female O Other
Phone: (Primary)	(Secondary)		Email:		SSN:
					Today's Date:
Claim: O Auto O Worker's	Comp O Commercial/Private Da	ate of Injury:	Atto	orney Name/Claim#	
IMPORTANT CLINICAL		ICD-10	Required		
Known symptoms, diseases, all	lergies, clinical info?				
					<b>d</b> $\bigcirc$ initial $\bigcirc$ subsequent $\bigcirc$ sequelae
	s, how many weeks?				
					old pt. and call:
O Release CD w/patient: O	Send images on CD:		Final Report: O Cc:		O Fax#
VDIS MEDICAL ARTS CEI	NTER Ph. 425.690.3655 Fax 425.0	690.9655 Same Da	ay Xray 425.690.6294 Tax ID# 91-60009		AL DIAGNOSTIC IMAGING
No longer offering walk-in	exams			425.251.51	94 (schedule) 425.656.5009 (fax) 33 (office) Tax ID# 91-6000986
O X-ray	O Ultrasound		O Thyroid head and neck		33 (office) Tax ID# 91-6000986
niei	○ OB: LMP or EDC ○ OB < 14 wks	:	<ul> <li>O Pelvis</li> <li>O Complete</li> </ul>	Bone Scan (Ch	,
O Fluoroscopy		> 14 wks	O with Transvag if ind	O Whole Bo	dy+limited SPECT/CT (specify area)
eq O Arthrogram	O OB complete = O OB limited/foll	ow-up $\bigcirc$ BPP	O Limited Hernia	O SPECT/C	(specify area)
O Barium Enema	<ul> <li>Abdomen</li> <li>Complete</li> </ul>		O Limited Bladder only O w/IUD	O NEW: 3 p	pecify area) hase with SPECT/CT (specify area)
<ul> <li>O Esophagram</li> <li>O Small Bowel Follow Th</li> </ul>	O Limited (specify	organ)	O Testes	O VQ Lung Sc	an tuing O Honotobilion
O Hysterosalpingogram	O Complete with O Limited with E	Elastography	O Other (specify)	I Call O Donal Scan	& Eunction O M/BC Scon
na O Upper GI	O Kidneys and Blac	ider	Other	O Thyoid Upta	Perfusion (additional form required) ke & SCan (additional form required)
Cystogram	O Aorta/Retroperito	neal		<ul> <li>O Parathyroid</li> <li>O Other</li> </ul>	Scan
			Tax ID# 91-6000986		
RIO MRI O Claustrophobi	c O Weight	O CT Scan		O Calc Without O CT I	ium Scoring only
IRI O MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or	c	O CT Scan Ⅳ Contrast: O O Head	Rad Discretion 〇 With 〇 〇 Sinus (comprehe	Without O CT L ensive) O CT K	imited Sinus (preauth req'd) UB
IRI O MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or	c	O CT Scan Ⅳ Contrast: O O Head	Rad Discretion 〇 With 〇 〇 Sinus (comprehe	Without O CT L ensive) O CT K	imited Sinus (preauth req'd) (UB r: ○ w/ 3D Reconstruction
IRIO MRI O Claustrophobi IV Contrast: O Rad Discre History of metal in body or If yes: where Implant/Foreign Body cleara	c O Weight etion O With O Without • eyes? O Yes O No type ance if applicable will be performed	<ul> <li>○ CT Scan</li> <li>IV Contrast: ○</li> <li>○ Head</li> <li>○ Temporal Bo</li> <li>○ Neck (soft tis</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits	Without O CT L ensive) O CT K O Othe O CT A	imited Sinus (preauth req'd) (UB r: ○ w/ 3D Reconstruction ngiogram:
IRIO MRI O Claustrophobi IV Contrast: O Rad Discre History of metal in body or If yes: where Implant/Foreign Body cleara isto_ Spine: O Thoracic O M Bria O Cervical O L	c • Weight etion • With • Without • eyes? • Yes • No type ance if applicable will be performed Met Spine Study _umbar • Flexion/Extension	O CT Scan IV Contrast: ○ ○ Head ○ Temporal Bo . ○ Neck (soft tis ○ Chest ○ CT Lung Scr	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP	Without O CT L ensive) O CT K O Othe O CT A est (HRCT) O Pu O Ad	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Ingiogram: Jumonary Angiogram orta Abdominal
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study _umbar • Flexion/Extension in (intracranial only) • MRA Carotid	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen	Without O CT L ensive) O CT K O Othe O CT A est (HRCT) O Pr O Ar O In	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram orta Abdominal tracranial
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study _umbar • Flexion/Extension in (intracranial only) • MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis	Without O CT L ensive) O CT K O Othe O CT A est (HRCT) O Pr O Ar O In O Al	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Ingiogram: Jumonary Angiogram orta Abdominal
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study _umbar • Flexion/Extension in (intracranial only) • MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest	<ul> <li>CT Scan</li> <li>IV Contrast: </li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (</li> <li>Pelvis (bone</li> <li>Enterograph</li> <li>Spine: </li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction	Without O CT L ensive) O CT K O Othe O CT A est (HRCT) O Pr O Ar O In O Al O L O CL	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study umbar • Flexion/Extension in (intracranial only) • MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest • Hip (L/R) • Knee (L/R) • Wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: <ul> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (<ul> <li>Pelvis (bone</li> <li>Enterograph</li> <li>Spine: <ul> <li>Cervical S</li> </ul> </li> </ul></li></ul></li></ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level	Without         O         CT L           ensive)         O         CT K           O         Othe         O           O         CT A         O           est (HRCT)         O         Pri           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram orta Abdominal tracranial BD Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study umbar • Flexion/Extension in (intracranial only) • MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest • Hip (L/R) • Knee (L/R) • Wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: <ul> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (bone</li> <li>Enterograph</li> <li>Spine: <ul> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> </ul> </li> </ul></li></ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx sue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level pine: Level	Without         O         CT L           ensive)         O         CT K           O         Othe         O           O         CT A         O           est (HRCT)         O         Pri           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         O         O	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study umbar • Flexion/Extension in (intracranial only) • MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest • Hip (L/R) • Knee (L/R) • Wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (bone</li> <li>Enterograph</li> <li>Spine: O</li> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> <li>Extremity: (L</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only O Pelvis y (Volumen) w/ 3D Reconstruction spine: Level ppine: Level fr	Without         O         CT L           ensive)         O         CT K           O         Othe         O           O         CT A         O           est (HRCT)         O         Pri           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         A         O           O         O         O	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther
IRIO MRI O Claustrophobi IV Contrast: O Rad Discret History of metal in body or If yes: where	c Veight etion Vith Vithout eyes? Yes No type ance if applicable will be performed Met Spine Study umbar O Flexion/Extension in (intracranial only) MRA Carotid P Pituitary O Orbits Bone Marrow O Chest Hip (L/R) O Knee (L/R) Wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (bone</li> <li>Enterograph</li> <li>Spine: O</li> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> <li>Extremity: (L</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx sue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level pine: Level	Without         O CT L           ensive)         O CT K           O Othe         O CT A           O CT A         O Pr           O Statistical (HRCT)         O Pr           O Ad         O In           O Ad         O Ci           O Lo         O Ad           O Lo         O Ad           O D         O Ve	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther
IRIO MRI O Claustrophobio IV Contrast: O Rad Discret History of metal in body or If yes: where	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study mbar • Flexion/Extension in (intracranial only) • MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest • Hip (L/R) • Knee (L/R) • Wrist (L/R) • wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (bone</li> <li>Enterograph</li> <li>Spine: O</li> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> <li>Extremity: (L</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only O Pelvis y (Volumen) w/ 3D Reconstruction spine: Level ppine: Level fr	Without         O CT L           ensive)         O CT K           O Othe         O CT A           O CT A         O Pr           O Statistical (HRCT)         O Pr           O Ad         O In           O Ad         O Ci           O Lo         O Ad           O Lo         O Ad           O D         O Ve	imited Sinus (preauth req'd) CUB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram borta Abdominal tracranial BD Aorta w/ILIACS arotid bower Extremity Runoff borta Thoracic ther enogram (specify)
IRIO MRI O Claustrophobio IV Contrast: O Rad Discret History of metal in body or If yes: where	c O Weight etion O With O Without eyes? O Yes O No  type ance if applicable will be performed Met Spine Study mbar O Flexion/Extension in (intracranial only) O MRA Carotid O Pituitary O Orbits D Bone Marrow O Chest D Hip (L/R) O Knee (L/R) O Wrist (L/R) wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (bone</li> <li>Enterograph</li> <li>Spine: O</li> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> <li>Extremity: (L</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only O Pelvis y (Volumen) w/ 3D Reconstruction spine: Level ppine: Level fr	Without         O CT L           ensive)         O CT K           O Othe         O CT A           O CT A         O Pr           O Statistical (HRCT)         O Pr           O Ad         O In           O Ad         O Ci           O Lo         O Ad           O Lo         O Ad           O D         O Ve	imited Sinus (preauth req'd) CUB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram borta Abdominal tracranial BD Aorta w/ILIACS arotid bower Extremity Runoff borta Thoracic ther enogram (specify)
IRIO MRI O Claustrophobio IV Contrast: O Rad Discret History of metal in body or If yes: where	c O Weight etion O With O Without eyes? O Yes O No  type ance if applicable will be performed Met Spine Study mbar O Flexion/Extension in (intracranial only) O MRA Carotid O Pituitary O Orbits D Bone Marrow O Chest D Hip (L/R) O Knee (L/R) O Wrist (L/R) wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: O</li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (bone</li> <li>Enterograph</li> <li>Spine: O</li> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> <li>Extremity: (L</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only O Pelvis y (Volumen) w/ 3D Reconstruction spine: Level ppine: Level fr	Without         O CT L           ensive)         O CT K           O Othe         O CT A           O CT A         O Pr           O Statistical (HRCT)         O Pr           O Ad         O In           O Ad         O Ci           O Lo         O Ad           O Lo         O Ad           O D         O Ve	imited Sinus (preauth req'd) CUB r: O w/ 3D Reconstruction ngiogram: ulmonary Angiogram borta Abdominal tracranial BD Aorta w/ILIACS arotid bower Extremity Runoff borta Thoracic ther enogram (specify)
IRIO MRI O Claustrophobio IV Contrast: O Rad Discret History of metal in body or If yes: where Implant/Foreign Body cleara isto Spine: O Thoracic O M Bri O Cervical O L Orlo MRI Brain O MRA Brai Cs: O Neck (soft tissue, w/contrast) O NeO TMJ O ChO Shoulder (L/R) O O Ankle (L/R)	c Veight etion With Without eyes? Yes No type ance if applicable will be performed Met Spine Study umbar O Flexion/Extension in (intracranial only) MRA Carotid P Pituitary O Orbits D Bone Marrow O Chest D Hip (L/R) O Knee (L/R) Wrist (L/R) Wrist (L/R)	<ul> <li>CT Scan</li> <li>IV Contrast: </li> <li>Head</li> <li>Temporal Bo</li> <li>Neck (soft tis</li> <li>Chest</li> <li>CT Lung Scr</li> <li>ABD/Pelvis (</li> <li>Pelvis (bone</li> <li>Enterograph</li> <li>Spine: </li> <li>Cervical S</li> <li>Thoracic S</li> <li>Lumbar S</li> <li>Extremity: (L</li> <li>w/ 3D Res</li> </ul>	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level pine: Level rconstruction	Without       O CT L         ensive)       O CT K         O Othe       O CT A         O CT A       O OT A         O State       O A         O A       O A      O	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Ingiogram: Ilmonary Angiogram orta Abdominal tracranial BD Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:
IRIO MRI O Claustrophobio IV Contrast: O Rad Discret History of metal in body or If yes: where Implant/Foreign Body cleara isto Spine: O Thoracic O M Bri O Cervical O L Orlo MRI Brain O MRA Brai Cs: O Neck (soft tissue, w/contrast) O NeO TMJ O ChO Shoulder (L/R) O O Ankle (L/R)	c O Weight etion O With O Without eyes? O Yes O No  ance if applicable will be performed Met Spine Study O Flexion/Extension in (intracranial only) O MRA Carotid O Pituitary O Orbits D Bone Marrow O Chest D Hip (L/R) O Knee (L/R) Wrist (L/R) contrast) O Complete (with contrast) iver O Kidney O Pancreas Bone reast order form D Lower Extremity Runoff	CT Scan IV Contrast: Head Temporal Bo Neck (soft tis Chest CT Lung Scr ABD/Pelvis ( Pelvis (bone Enterograph Spine: Cervical S Thoracic S Lumbar S Extremity: (L W 3D Re	Rad Discretion () With () () Sinus (comprehe ne () Landmarx () Facial/Orbits () High Res. Che een () CT IVP complete) () Abdomen only) () Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level (R) (R) (Construction	Without       ○ CT L         ensive)       ○ CT K         ○ Othe       ○ CT A         ○ CT A       ○ Othe         ○ Stt (HRCT)       ○ Pi         ○ Ai       ○ Ai         ○ Ci       ○ Ai         ○ DNS       ○ Creatining	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Impiogram: Imonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:  me draw at VDIS Oly, if required
IRI       MRI       Claustrophobio         IV Contrast:       Rad Discret         History of metal in body or         If yes:       where         Implant/Foreign Body cleara         sto       Spine:         Sto       Spine:         Orl       MRI Brain         Orl       MRI Brain         Orl       MRI Brain         Me       TMJ         Ch       Shoulder (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       IACS:         Limited (without c         O       Abdomen:         MRI       Enterography         MF       Pelvis:         Organ       F         Ot       Breast: see separate br         MRI Angiogram:       Renal         Aorta Thoracic       O         Aorta Abdominal       O	c O Weight etion O With O Without eyes? O Yes O No ance if applicable will be performed Met Spine Study umbar O Flexion/Extension in (intracranial only) O MRA Carotid 0 Pituitary O Orbits 0 Bone Marrow O Chest 0 Hip (L/R) O Knee (L/R) 0 Wrist (L/R) write (L/R) 0 Wrist (L/R) 0 Complete (with contrast) iver O Kidney O Pancreas Bone reast order form 0 Lower Extremity Runoff 0 Other	CT Scan IV Contrast: Head Temporal Bo Neck (soft tis Chest CT Lung Scr ABD/Pelvis ( Pelvis (bone Enterograph Spine: Cervical S Chest Extremity: (L W 3D Re	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level Spine: Level pine: Level rconstruction	Without       ○ CT L         ensive)       ○ CT K         ○ Othe       ○ CT A         ○ CT A       ○ Othe         ○ A       ○ A         ○ D       ○ C         ○ C       ○ A         ○ C       ○ A         ○ D       ○ Ve         ○ DNS       ○ Creatinin         ○ Yes       No	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Ingiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:  me draw at VDIS Oly, if required If Yes, check all that apply
IRI       MRI       Claustrophobio         IV Contrast:       Rad Discret         History of metal in body or         If yes:       where         Implant/Foreign Body cleara         sto       Spine:         Sto       Spine:         Orl       MRI Brain         Orl       MRI Brain         Orl       MRI Brain         Me       TMJ         Ch       Shoulder (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       IACS:         Limited (without c         O       Abdomen:         MRI       Enterography         MF       Pelvis:         Organ       F         Ot       Breast: see separate br         MRI Angiogram:       Renal         Aorta Thoracic       O         Aorta Abdominal       O	c O Weight etion O With O Without eyes? O Yes O No  ance if applicable will be performed Met Spine Study O Flexion/Extension in (intracranial only) O MRA Carotid O Pituitary O Orbits D Bone Marrow O Chest D Hip (L/R) O Knee (L/R) Wrist (L/R) contrast) O Complete (with contrast) iver O Kidney O Pancreas Bone reast order form D Lower Extremity Runoff	CT Scan IV Contrast: Head Temporal Bo Neck (soft tis Chest CT Lung Scr ABD/Pelvis ( Pelvis (bone Enterograph Spine: Cervical S Chest Extremity: (L W 3D Re	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level Spine: Level pine: Level fR) construction	Without O CT L ensive) O CT K O Othe O CT A Est (HRCT) Pr A O A O A O C O C C O A O C O C C C O A O C C O C C C C C C C C C C C C C C C C	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Ingiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:  me draw at VDIS Oly, if required If Yes, check all that apply
IRI       MRI       Claustrophobio         IV Contrast:       Rad Discret         History of metal in body or         If yes:       where         Implant/Foreign Body cleara         sto       Spine:         Sto       Spine:         Orl       MRI Brain         Orl       MRI Brain         Orl       MRI Brain         Me       TMJ         Ch       Shoulder (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       IACS:         Limited (without c         O       Abdomen:         MRI       Enterography         MF       Pelvis:         Organ       F         Ot       Breast: see separate br         MRI Angiogram:       Renal         Aorta Thoracic       O         Aorta Abdominal       O	c O Weight etion O With O Without eyes? O Yes O No ance if applicable will be performed Met Spine Study umbar O Flexion/Extension in (intracranial only) O MRA Carotid 0 Pituitary O Orbits 0 Bone Marrow O Chest 0 Hip (L/R) O Knee (L/R) 0 Wrist (L/R) write (L/R) 0 Wrist (L/R) 0 Complete (with contrast) iver O Kidney O Pancreas Bone reast order form 0 Lower Extremity Runoff 0 Other	CT Scan IV Contrast: Head Temporal Bo Neck (soft tis Chest CT Lung Scr ABD/Pelvis (bone Enterograph Spine: Cervical S Thoracic S Lumbar S Extremity: (L W/ 3D Res IV Contrast Ve Ve Ve Ve Ve Ve Ve Ve Ve	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level Spine: Level Spine: Level /R) construction	Without O CT L ensive) O CT K O Othe O CT A Sest (HRCT) Pr A A DINS O Creatinin O Yes O No to contrast (call imagin c (need Creatinine w/in (Creatinine Levels:)	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction Ingiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:  he draw at VDIS Oly, if required If Yes, check all that apply g center for instructions) n past 6 weeks Date:) Date:)
IRI       MRI       Claustrophobio         IV Contrast:       Rad Discret         History of metal in body or         If yes:       where         Implant/Foreign Body cleara         sto       Spine:         Sto       Spine:         Orl       MRI Brain         Orl       MRI Brain         Orl       MRI Brain         Me       TMJ         Ch       Shoulder (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       Ankle (L/R)         O       IACS:         Limited (without c         O       Abdomen:         MRI       Enterography         MF       Pelvis:         Organ       F         Ot       Breast: see separate br         MRI Angiogram:       Renal         Aorta Thoracic       O         Aorta Abdominal       O	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest • Hip (L/R) • Knee (L/R) • Wrist (L/R) • Wrist (L/R) • Complete (with contrast) iver • Kidney • Pancreas Bone reast order form • Lower Extremity Runoff • Other tions require a healthcare provider sig	CT Scan IV Contrast: Head Temporal Bo Neck (soft tis Chest CT Lung Scr ABD/Pelvis (bone Enterograph Spine: Cervical S Thoracic S Lumbar S Extremity: (L W/ 3D Res V Contractions V Contracti	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level Spine: Level Spine: Level /R) construction	Without O CT L ensive) O CT K O Othe O CT A Sest (HRCT) Pr A A DINS O Creatinin Ve Specify DNS O Creatinin Ve Specify DNS O Creatinin C reatinine Levels:	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ingiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:  me draw at VDIS Oly, if required If Yes, check all that apply g center for instructions) m past 6 weeks Date:) Date:)
IRIO MRI O Claustrophobio IV Contrast: O Rad Discret History of metal in body or Implant/Foreign Body cleara isto Spine: O Thoracic O M Bri O Cervical O L Orlo MRI Brain O MRA Brai Cs: O Neck (soft tissue, w/contrast) O NeO TMJ O ChO Shoulder (L/R) O O Ankle (L/R) O O O Ankle (L/R) O O O Ankle (L/R) O O O Ankle (L/R)	c • Weight etion • With • Without • eyes? • Yes • No  ance if applicable will be performed Met Spine Study MRA Carotid • Pituitary • Orbits • Bone Marrow • Chest • Hip (L/R) • Knee (L/R) • Wrist (L/R) • Wrist (L/R) • Complete (with contrast) iver • Kidney • Pancreas Bone reast order form • Lower Extremity Runoff • Other tions require a healthcare provider sig	CT Scan IV Contrast: Head Temporal Bo Neck (soft tis Chest CT Lung Scr ABD/Pelvis (bone Enterograph Spine: Cervical S Thoracic S Lumbar S Extremity: (L W/ 3D Res IV Contrast Ve Ve Ve Ve Ve Ve Ve Ve Ve	Rad Discretion O With O O Sinus (comprehe ne O Landmarx ssue) O Facial/Orbits O High Res. Che een O CT IVP complete) O Abdomen only) O Pelvis y (Volumen) w/ 3D Reconstruction Spine: Level Spine: Level Spine: Level /R) construction CTRAST PRECAUTION ITRAST PRECAUTION (R) Construction CONSTRUCTION CONST	Without O CT L ensive) O CT K O Othe O CT A Sest (HRCT) O Pri A A O In O A O C O C O C O C O C O C O C O C O C O C	imited Sinus (preauth req'd) (UB r: O w/ 3D Reconstruction ingiogram: ulmonary Angiogram orta Abdominal tracranial 3D Aorta w/ILIACS arotid ower Extremity Runoff orta Thoracic ther enogram (specify) Area of Interest:  me draw at VDIS Oly, if required If Yes, check all that apply g center for instructions) m past 6 weeks Date:) Date:)

FAX Disclaimer: The information contained in this facsimile transmission is privileged and confidential.

If you have received this fax in error, please notify the sender and destroy this fax. Thank You.

### All imaging orders must be faxed.



**<u>DIRECTIONS</u>**: Take I-405 to Highway 167 South. Once on Highway 167, take the first exit (South 41st/180th St.) and turn left at the light at the end of the off-ramp. Turn left at the next light onto 43rd/180th St. Proceed straight to the top of the hill and turn left at the light onto Talbot Rd. S. Valley Medical Center's campus is on the left.

# **UW** Medicine

VALLEY MEDICAL CENTER



VALLEY DIAGNOSTIC IMAGING SERVICES Olympic Building VALLEY DIAGNOSTIC IMAGING SERVICES Medical Arts Center

Vantage Radiology & Diagnostic Services, a professional service corporation, in association with UW Medicine Valley Medical Center.

Visit Valley Medical Center online at www.valleymed.org and Vantage Radiology & Diagnostic Services at www.vrads.com

#### **IMPORTANT INFORMATION**

- If you are pregnant, or could be pregnant, please inform your technologist and/or healthcare provider BEFORE your examination.
- Children may not accompany you into the exam room or wait in the lobby during your appointment. Please make arrangements for your children during your appointment.
- For all examinations, continue to take medications prescribed by your physician or healthcare provider, unless otherwise directed at the time your exam is scheduled.

#### O HOSPITAL DIAGNOSTIC IMAGING 425.251.5183 ph 425.656.5009 fax

Nuclear Medicine: Uses small amounts of radioactive materials (or tracers) to help diagnose and treat a variety of diseases. Tests determine the cause of the medical problem based on the function of the organ, tissue or bone.

#### Nuclear Medicine Exams and Preparation:

O **Bone Scan:** Please be well hydrated (drink at least 2 glasses of water) before this exam. Please do not wear any metal.

O **Gastric Empty:** Nothing by mouth (NPO) for 4 hours before the test. This is a 4 hour exam.

○ **Hepatobiliary Scan:** Nothing by mouth (NPO) 4 hours before exam, this includes opiates. No pain medication 4 hours before the exam. This is a 2 hour exam.

○ **Renal Scan and Function:** Please be well hydrated (drink at least 2 glasses of water) before this exam.

O **Myocardial Perfusion:** Please contact your physician regarding stoppage of cardiac medication prior to exam. No caffeine, including decaf, for 12 hours prior to the exam. No solid food for 4 hours prior to exam. Liguids are okay. This is a 3 hour exam.

O **Thyroid Uptake and Scan:** No solid foods for 4 hours prior to the exam. Liquids are okay. This is a 2 day exam.

○ **Parathyroid Exam:** No preparation necessary for this exam. This is a 3 hour exam.

#### O VDIS OLYMPIC BUILDING 425.656.5550 ph 425.656.5552 fax

○ **CT Scan:** A CT, computerized tomography (or CAT) scan is a special examination in which multiple "slices" or pictures are taken through an area of the body. You will be placed on a table which will move you into the scanner. After each "slice" is taken the table will move a small distance to take the next picture. For many CT scans, contrast material will be injected into your vein.

## DIAGNOSTIC IMAGING SERVICES EXAM PREPARATIONS

Arrival Time: \_\_\_\_\_ Exam 1 Date & Time: \_\_\_\_\_ Exam 1 Date & Time:

O CT Head, CT Neck, CT Chest (Thorax): No solid food or drink 2 hours prior to your appointment. Drink plenty of fluids the day before the exam.

# O CT Sinus, Comprehensive/CT Sinus, Limited: No preparation necessary.

○ CT Abdomen or Pelvis (complete):

No solid food or drink 2 hours prior to your appointment. Medications may be taken. Please arrive one hour and 20 mins prior to your appointment. You will be given a liquid to drink that allows us to see your intestines. Please drink plenty of liquids the day before your exam.

#### ○ **CT Angiogram (no oral contrast necessary):** No solid food or drink 2 hours prior to your appointment. Medications may be taken. Please drink plenty of liquids the day before your exam.

O CT Lung Screen: No preparation is necessary.

O **MRI Scan:** Magnetic resonance imaging (MRI) is a simple, painless examination that uses magnetic fields and radio waves to "see" internal organs and soft tissue without the use of x-rays. Both safe and painless, MRI has no known side effects.

#### **MRI Scan Preparation:**

Under most circumstances, no special diet, medication or fasting is required before your MRI exam. If you feel you may be claustrophobic, please contact VDIS Olympic Building prior to your appointment day to discuss options.

#### SEDATION:

Oral: No medications to be taken prior to exam. Nothing by mouth 4 hours prior to exam.

IV: No food and only minimal water for oral meds 4 hours before exam.

The result of an MRI can be altered by the presence of metal in the exam room. **All patients will be asked to change into an exam gown.** Please be prepared to leave jewelry, keys and other metallic items in a locker. **IMPORTANT:** Caution needs to be used if you have a pacemaker, inner ear implants, blood vessel surgical clips in the brain or some metal implants. Please notify the physician or

technologists if you my have any of the above, or are uncertain whether you do.

O **Abdominal MRI:** No food or drink 4 hours prior to your appointment.

O **MRCP:** No food or drink 4 hours prior to your appointment.

O **Liver:** No food or drink 4 hours prior to your appointment.

O **Pelvis w/ Organ:** No food or drink 4 hours prior to your appointment. (Pelvis without additional organ has no preparation requirements.)

○ **Arthrogram:** Please let them know at the time of scheduling if you are on blood thinners. No preparation necessary. An Arthrogram is a study of joint spaces. Following the use of a

Exam 2 Date & Time: local anesthetic, contrast material is injected into the joint space. Images will be taken. After your exam is complete, the contrast material

your exam is complete, the contrast material will be completely reabsorbed in 24 to 48 hours. The radiologist recommends that your activity be limited for 24 hours after the exam.

#### VDIS MEDICAL ARTS CENTER 425.690.3655 ph 425.690.9655 fax 425.690.6294 Same Day Xray

CT KUB (kidney stones): 20 minutes.
No preparation necessary. Please call
425.656.5550 for images on CD or report requests.
Sinus Series, Sinus 1 View: 20 minutes.
No preparation is necessary.

○ **Chest x-ray, Plain x-ray: 20 minutes.** Radiography, or X-ray involves exposing a part of the body to a small dose of radiation to produce an image of the internal organs. When x-rays penetrate the body, they are absorbed in varying amounts by different parts of the anatomy. There is no special preparation required for most x-rays.

**Ultrasound Exam: 40 minutes.** Sound waves are used to examine internal organs. Obstetrical ultrasound is used to determine the baby's age, position, appearance of body parts, volume of fluid around the baby, and the position of the placenta. An ultrasound technologist will apply a warm gel to the skin which allows the sound waves to be transmitted and received from inside the body. The images are recorded on film. No radiation is utilized to produce the images.

Children may not accompany you into the exam room or wait in the lobby during your appointment. Please make arrangements for your children during your appointment.

#### **Ultrasound Preparation:**

O **Abdomen and/or Gallbladder:** For 6 hours prior to the exam, take nothing by mouth except medications.

• **Aorta:** For 6 hours prior to the exam, take nothing by mouth except medications.

○ Combination Exam (Abdomen and Pelvis): Nothing by mouth for 8 hours prior to the exam, except medications. Finish drinking 32 oz of water by 1 hour prior to your appointment. <u>Do not</u> urinate until after your exam is complete. A full bladder is necessary. ○ Obstatrical or Pelvis: Finish drinking

Obstetrical or Pelvis: Finish drinking
 32 oz of water by 1 hour prior to your
 appointment. <u>Do not</u> urinate until after your
 exam is complete. A full bladder is necessary.
 O Hysterosonogram: No preparation is
 necessary.

**Thyroid, Testes:** No preparation is necessary.
 **Kidney/Bladder, Retroperitoneal:** Finish drinking 16 oz of water by 1 hour prior to your appointment. <u>Do not</u> urinate until after your exam is complete. A full bladder is necessary.
 \*\*Dialysis patients don't need to drink water. \*\*

#### Fluoroscopy Exams:

O Barium Enema: 1 hour. A barium enema is an examination of your large intestine. A tube will be placed in your rectum, and barium and air will be instilled through the tube to fill the intestine. To insure a satisfactory study it is necessary that your bowel be entirely free of fecal material. To accomplish this, it is important the instructions be followed completely, and that no food or fluids other than those listed be substituted. You may expect the laxative to begin its cleaning action approximately 3-8 hours after you take it.

#### Preparation the DAY BEFORE the exam:

A non-residue diet is required beginning 24 hours before the examination. This may consist of clear soup, sugar-free jello, liquid non-pulpy unsweetened juice, sugar-free soda, black coffee or tea without sugar or milk. Do not eat or drink any solid foods, milk or cream. Be sure to read all the accompanying directions and warnings thoroughly before using the kit. If you have any questions, be sure to ask your doctor. 1) Drink one glass of water each hour, from 1 p.m. to 9 p.m.

2) At 5 p.m.: Slowly add to 8 oz. of cold water in a large (minimum 12 oz.) glass, the contents of packet (Magnesium Citrate) whild gently stirring. After fizzing stops, stir again and drink.
3) At bedtime: Take the four enclosed Bisacodyl tablets with a glass of water. Do not chew tablets. Tablets taken at bedtime are usually effective by the following morning.
Preparation the MORNING OF the exam: 1) Do not have anything to eat or drink.

2) To use the Bisacodyl Suppository, push it through the back and remove it from the blister, remove the foil wrapper and insert the suppository into the rectum two hours before your appointment time. Retain for 15 minutes. A laxative may be taken following the exam to prevent constipation caused by the barium. Drink plenty of fluids after your exam.

#### O Esophagram: 20 minutes. An

Esophagram is an examination of your throat and esophagus. While you swallow the barium, the radiologist will observe on a fluoroscope and take a series of X-rays.

**Preparation:** No food or drink 2 hours prior to appointment time. A laxative may be taken following the exam to prevent constipation caused by the barium. Drink plenty of fluids after your exam.

O **Cystogram: 1 hour.** This is a study of the bladder and urethra. A catheter is placed into the bladder and contrast material is instilled until your bladder is full. The technologist will take several films including one while you empty your bladder.

#### Preparation: None.

○ **Hysterosalpingogram: 1 hour.** Also called HSG, this is an examination of the uterus and fallopian tubes to evaluate for blockage, inflammation and other diseases. The radiologist places a speculum into the vagina. A small tube will be placed into the uterus and contrast material injected. The doctor will watch under fluoroscopy, and obtain films.

After the examination is completed, some cramping and spotting may occur.

**Preparation:** 1) The exam should be scheduled to occur 7-10 days after the first day of a normal menstrual period. 2) Do not have intercourse from the beginning of your menstrual period until the examination is completed.

○ **Small Bowel Series: 2-4 hours.** This is a study to evaluate the small intestine. It may be performed on its own or after an upper gastrointestinal series. Barium is taken orally. A series of x-rays aare taken as barium flows from the stomach through the small intestine to the colon.

**Preparation:** Do not eat, drink, chew gum or use tobacco after midnight the night before your exam. Continue any prescribed medications but use as little water as possible. A laxative may be taken following the exam to prevent constipation caused by the barium. Drink plenty of fluids after your exam.

○ UGI-Upper Gastrointestinal Series: 30 minutes. This is a study of the esophagus, stomach and duodenum after drinking barium. The radiologist will observe a TV screen/ fluoroscope while placing the patient in a variety of positions. Films are obtained during and after fluoroscopy. **Preparation:** Do not eat, drink, chew gum or use tobacco after 10 p.m. the night before your exam. Continue any prescribed medications but use as little water as possible. A laxative may be taken following the exam to prevent constipation caused by the barium. Drink plenty of fluids after your exam.

